

bigframe 440 design Alberto Meda



Stacking chair with arms, structure composed of extruded aluminium profile and die-cast aluminium elements, seat and back in fire retardant PVC covered polyester mesh or black leather.

frame fabric

aluminio e rete - aluminium and mesh - Aluminium und Netzgewebe
aluminium et tissu maille - aluminium en doek

teksto - fabric - Stoff
tissu - tekstil KVADRATDIVINA 2

teksto - fabric - Stoff
tissu - tekstil KVADRATGLOSS 2



frame mesh/leather

aluminio - aluminium - Aluminium
aluminium - aluminium

rete - mesh - Netzgewebe
tissu maille - doek

pelle - leather - Leder
cuir - leder



*only highframe colors, bigframe colors, frameXL colors
* for outdoor

Certificazioni

| Registro | Prova Verifica | Norma | Data | Posizione |
|----------|---------------------------------------|-------------------------|------------|-----------|
| 16508/4 | armrest vertical static load test | EN 1728/2000 | 21/03/2001 | |
| 25956/2 | back durability test | ANSI BIFMA X5.1-1993/17 | 23/03/2002 | |
| 40531/3 | arm strength test. Horizontal- static | ANSI BIFMA X5.1-2002/14 | 03/09/2003 | |
| 40531/2 | arm strength test. Vertical - static | ANSI BIFMA X5.1-2002/13 | 03/09/2003 | |
| 40531/1 | backrest strength test. Static | ANSI BIFMA X5.1-2002/6 | 03/09/2003 | |
| 25956/1 | stability test | ANSI BIFMA X5.1-1993/13 | 23/03/2002 | |
| 16508/1 | seat impact test | EN 1728/2000 | 21/03/2001 | |
| 16508/2 | back impact test | EN 1728/2000 | 21/03/2001 | |
| 110600/1 | VOC emission | EN ISO 16000-9/2006 | 11/11/2009 | |
| 16508/4 | armrest vertical static load test | EN 1728/2000 | 21/03/2001 | |
| 25956/2 | back durability test | ANSI BIFMA X5.1-1993/17 | 23/03/2002 | |
| 40531/3 | arm strength test. Horizontal- static | ANSI BIFMA X5.1-2002/14 | 03/09/2003 | |
| 40531/2 | arm strength test. Vertical - static | ANSI BIFMA X5.1-2002/13 | 03/09/2003 | |
| 40531/1 | backrest strength test. Static | ANSI BIFMA X5.1-2002/6 | 03/09/2003 | |
| 25956/1 | stability test | ANSI BIFMA X5.1-1993/13 | 23/03/2002 | |
| 16508/1 | seat impact test | EN 1728/2000 | 21/03/2001 | |
| 16508/2 | back impact test | EN 1728/2000 | 21/03/2001 | |
| 110600/1 | VOC emission | EN ISO 16000-9/2006 | 11/11/2009 | |
| 25956/2 | back durability test | ANSI BIFMA X5.1-1993/17 | 23/03/2002 | |
| 40531/3 | arm strength test. Horizontal- static | ANSI BIFMA X5.1-2002/14 | 03/09/2003 | |
| 40531/2 | arm strength test. Vertical - static | ANSI BIFMA X5.1-2002/13 | 03/09/2003 | |
| 40531/1 | backrest strength test. Static | ANSI BIFMA X5.1-2002/6 | 03/09/2003 | |
| 25956/1 | stability test | ANSI BIFMA X5.1-1993/13 | 23/03/2002 | |
| 16508/1 | seat impact test | EN 1728/2000 | 21/03/2001 | |
| 16508/2 | back impact test | EN 1728/2000 | 21/03/2001 | |
| 110600/1 | VOC emission | EN ISO 16000-9/2006 | 11/11/2009 | |
| 16508/4 | armrest vertical static load test | EN 1728/2000 | 21/03/2001 | |
| 16508/4 | armrest vertical static load test | EN 1728/2000 | 21/03/2001 | |
| 25956/2 | back durability test | ANSI BIFMA X5.1-1993/17 | 23/03/2002 | |
| 40531/3 | arm strength test. Horizontal- static | ANSI BIFMA X5.1-2002/14 | 03/09/2003 | |
| 40531/2 | arm strength test. Vertical - static | ANSI BIFMA X5.1-2002/13 | 03/09/2003 | |
| 40531/1 | backrest strength test. Static | ANSI BIFMA X5.1-2002/6 | 03/09/2003 | |
| 25956/1 | stability test | ANSI BIFMA X5.1-1993/13 | 23/03/2002 | |
| 16508/1 | seat impact test | EN 1728/2000 | 21/03/2001 | |
| 16508/2 | back impact test | EN 1728/2000 | 21/03/2001 | |

