



Dizzie Tables

Dizzie

design Lievore Altherr Molina 2004

DIZZIE (Lievore, Altherr, Molina) 2004

Designed for easy yet polished interior design schemes, Dizzie tables are ideal for various settings, from home to restaurants. The base comes in white-painted steel or chrome finish, with a distinctive conical shape. The top is available in a number of versions and sizes: large oval, round, square or small oval. The small 51x47cm table comes with a white top and choice of 7 colours for the base.



Materials

Structure



Chromed CRO Painted V12


Base



M02



Table with oval base in chromed or white lacquered steel, top in white embossed MDF, available in different shapes and sizes (oval). Height 35 cm.



| BASE OVAL | ART. | TOP | CHROMED | PAINTED |
|----------------------|-------------|----------------------|---------|---------|
| <p>CM. 52 X 40.6</p> | 0678 | STRUCTURE ONLY | | |
| | 0688 | Mdf MD CM. 135 x 100 | | |
| | 0689 | Mdf MD CM. 90 x 108 | | |
| | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| <p>Art. 0678 1 pcs. = 1 box - kg 24.5 / m³ 0.108</p> <p>Art. 0688 1 pcs. = 2 boxes - kg 48.7 / m³ 0.237 </p> <p>Art. 0689 1 pcs. = 2 boxes - kg 40.8 / m³ 0.202 </p> | | <p>UNI 9115/87 1:5 5°</p> <p>UNI 9429/89 1:5 5°</p> <p>UNI 9427/89 1:5 4°</p> <p>EN 12720/97 B</p> <p>EN 12721/97 B</p> <p>EN 12722/97 B</p> |


Steel frame base





Top embossed lacquered Mdf



Low table with steel oval base lacquered in white, light blue, grey, sepia, red, sand, green or black, with oval top in white MDF. Height 50 cm.



| BASE OVAL | ART. | TOP | PAINTED | V12 |
|--|-------------|--|---------|-----|
|  CM. 27 X 31 | 0681 | Mdf MD CM. 51 x 47  | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|-------------------------------------|--------------------------|---|
| 1 pcs. = 1 box - kg 10.5 / m³ 0.095 | | EN 1730/00 6.5 1:5 5° EN 1730/00 6.7 |

Steel frame base



V12
8 types


Top
embossed lacquered Mdf













M02










Finishing (see at page 312)

Table with oval base in chromed or white lacquered steel and top in white embossed MDF, available in different shapes and sizes (oval, round, square). Height 74 cm.




| BASE OVAL | ART. | TOP | CHROMED | PAINTED |
|--|-------------|--|---------|---------|
|  CM. 52 X 40.6 | 0671 | STRUCUTRE ONLY | | |
| | 0653 | Mdf MD CM. 90 x 108  | | |
| | 0667 | Mdf MD CM. 135 x 100  | | |
| | 0656 | Mdf MD Ø CM. 80  | | |
| | 0659 | Mdf MD CM. 80 x 80  | | |

| BASE OVAL | ART. | TOP | CHROMED | PAINTED |
|--|-------------|--|---------|---------|
|  CM. 70 x 50 | 0670 | STRUCTURE ONLY | | |
| | 0651 | Mdf MD CM. 100 x 182  | | |
| | 0652 | Mdf MD CM. 100 x 160  | | |
| | 0662 | Mdf MD Ø CM. 134  | | |
| | 0663 | Mdf MD Ø CM. 160  | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| Art. 0670 1 pcs. = 2 boxes - kg 49.6 / m ³ 0.411  Art. 0671 1 pcs. = 1 boxes - kg 24 / m ³ 0.223 Art. 0651  1 pcs. = 3 boxes - kg 83.6 / m ³ 0.579 Art. 0652  1 pcs. = 3 boxes - kg 79.6 / m ³ 0.563 Art. 0662  1 pcs. = 3 boxes - kg 79.8 / m ³ 0.574 Art. 0663  1 pcs. = 3 boxes - kg 92.6 / m ³ 0.647 Art. 0653  1 pcs. = 2 boxes - kg 40.3 / m ³ 0.317 Art. 0656  1 pcs. = 2 boxes - kg 34.5 / m ³ 0.288 Art. 0659  1 pcs. = 2 boxes - kg 37 / m ³ 0.288 Art. 0667  1 pcs. = 2 boxes - kg 48.2 / m ³ 0.352 | | UNI 9115/87 1:5 5° UNI 9429/89 1:5 5° UNI 9427/89 1:5 4° EN 12720/97 B EN 12721/97 B EN 12722/97 B Art. 0651 EN 1730/00 6.3 1:5 5° EN 1730/00 6.5 1:5 5° EN 1730/00 6.7 EN 1730/00 6.8 1:5 5° |


Steel frame base



Top
embossed lacquered Mdf



Table with round base in chromed or white lacquered steel and top in white embossed MDF, available in different shapes and sizes (oval, round, square). Height 74 cm.




| BASE ROUND | ART. | TOP | CHROMED | PAINTED |
|-----------------|-------------|---------------------|---------|---------|
| <p>Ø CM. 46</p> | 0672 | STRUCTURE ONLY | | |
| | 0654 | Mdf MD CM. 90 x 108 | | |
| | 0657 | Mdf MD Ø CM. 80 | | |
| | 0660 | Mdf MD CM. 80 x 80 | | |

| BASE ROUND | ART. | TOP | CHROMED | PAINTED |
|-----------------|-------------|------------------|---------|---------|
| <p>Ø CM. 60</p> | 0679 | STRUCTURE ONLY | | |
| | 0690 | Mdf MD Ø CM. 134 | | |
| | 0691 | Mdf MD Ø CM. 160 | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|---|
| Art. 0672 1 pcs. = 1 box - kg 23.5 / m ² 0.223 Art. 0654 1 pcs. = 2 boxes - kg 39.8 / m ² 0.317 Art. 0657 1 pcs. = 2 boxes - kg 34 / m ² 0.288 Art. 0660 1 pcs. = 2 boxes - kg 36.5 / m ² 0.288 Art. 0679 1 pcs. = 2 boxes - kg 51.6 ÷ m 0.411 Art. 0690 1 pcs. = 3 boxes - kg 81.8 ÷ m 0.574 Art. 0691 1 pcs. = 3 boxes - kg 94.6 ÷ m 0.647 | | UNI 9115/87 1:5 5° UNI 9429/89 1:5 5° UNI 9427/89 1:5 4° EN 12720/97 B EN 12721/97 B EN 12722/97 B |


Steel frame base









Top embossed lacquered Mdf



Table with square base in chromed or white lacquered steel and top in white embossed MDF, available in different shapes and sizes (oval, round or square). Height 74 cm.




| BASE SQUARE | ART. | TOP | CHROMED | PAINTED |
|--|-------------|---|---------|---------|
|  CM. 43 x 43 | 0673 | STRUCTURE ONLY | | |
| | 0655 | Mdf MD CM. 90 x 108  | | |
| | 0658 | Mdf MD Ø CM. 80  | | |
| | 0661 | Mdf MD CM. 80 x 80  | | |

| BASE SQUARE | ART. | TOP | CHROMED | PAINTED |
|--|-------------|--|---------|---------|
|  CM. 60 X 60 | 0677 | STRUCTURE ONLY | | |
| | 0668 | Mdf MD CM. 140 X 140  | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|--|
| Art. 0673 1 pcs. = 1 box - kg 24.6 / m ² 0.223 Art. 0655 1 pcs. = 2 boxes - kg 40.9 / m ² 0.317 Art. 0658 1 pcs. = 2 boxes - kg 38.8 / m ² 0.302 Art. 0661 1 pcs. = 2 boxes - kg 37.6 / m ² 0.288 Art. 0677 1 pcs. = 2 boxes - kg 55.5 / m ² 0.415 Art. 0668 1 pcs. = 3 boxes - kg 104 / m ² 0.646 | (KD) | UNI 9115/87 1:5 5° UNI 9429/89 1:5 5° UNI 9427/89 1:5 4° EN 12720/97 B EN 12721/97 B EN 12722/97 B Art. 0661 EN 1730/00 6.5 1:5 5° EN 1730/00 6.7 |

Steel frame base



Top embossed lacquered Mdf



Table with double oval base in chromed or white lacquered steel and oval top in white embossed MDF available in sizes 250 x 121 and 300 x 131 cm. Height 74 cm.



| BASE OVAL | ART. | TOP | CHROMED | PAINTED |
|--------------------|-------------|----------------------|---------|---------|
| <p>CM. 70 x 50</p> | 0665 | Mdf MD CM. 300 x 131 | | |
| | 0666 | Mdf MD CM. 250 x 121 | | |
| | | | | |
| | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|---|
| <p>Art. 0665 1 pcs. = 5 boxes - kg 175.2 / m³ 1.179 </p> <p>Art. 0666 1 pcs. = 5 boxes - kg 156.7 / m³ 1.104 </p> | | <p>UNI 9115/87 1:5 5° UNI 9429/89 1:5 5° UNI 9427/89 1:5 4° EN 12720/97 B EN 12721/97 B EN 12722/97 B</p> |


Steel frame base








Top embossed lacquered Mdf



Table with oval base in chromed or white lacquered steel and top in white embossed MDF, available in different shapes and sizes (square, round). Height 105 cm.



| BASE OVAL | ART. | TOP | CHROMED | PAINTED |
|--|-------------|--|---------|---------|
|  CM. 52 x 40.6 | 0674 | STRUCTURE ONLY | | |
| | 0682 | Mdf MD Ø CM. 80  | | |
| | 0683 | Mdf MD CM. 80 x 80  | | |
| | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| <p>Art. 0674 1 pcs. = 1 box - kg 27.5 / m³ 0.305</p> <p>Art. 0682  1 pcs. = 2 boxes - kg 38 / m³ 0.370</p> <p>Art. 0683  1 pcs. = 2 boxes - kg 40.5 / m³ 0.370</p> | | <p>UNI 9115/87 1:5 5°</p> <p>UNI 9429/89 1:5 5°</p> <p>UNI 9427/89 1:5 4°</p> <p>EN 12720/97 B</p> <p>EN 12721/97 B</p> <p>EN 12722/97 B</p> |


Steel frame base



Top embossed lacquered Mdf




Table with round base in chromed or white lacquered steel and top in white embossed MDF, available in different shapes and sizes (square, round). Height 105 cm.



| BASE ROUNDED | ART. | TOP | CHROMED | PAINTED |
|-----------------|-------------|--------------------|---------|---------|
| <p>Ø CM. 46</p> | 0675 | STRUCTURE ONLY | | |
| | 0684 | Mdf MD Ø CM. 80 | | |
| | 0685 | Mdf MD CM. 80 x 80 | | |
| | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|--|--------------------------|--|
| <p>Art. 0675 1 pcs. = 1 box - kg 26.5 / m³ 0.305</p> <p>Art. 0684 1 pcs. = 2 boxes - kg 37 / m³ 0.370 </p> <p>Art. 0685 1 pcs. = 2 boxes - kg 39.5 / m³ 0.370 </p> | | <p>UNI 9115/87 1:5 5° UNI 9429/89 1:5 5° UNI 9427/89 1:5 4° EN 12720/97 B EN 12721/97 B EN 12722/97 B</p> <p>Art. 0684 EN 1730/00 6.3 1:5 5° EN 1730/00 6.5 1:5 5° EN 1730/00 6.7</p> |


Steel frame base








Top embossed lacquered Mdf




Table with square base in chromed or white lacquered steel and top in in white embossed MDF, available in different shapes and sizes (square, round). Height 105 cm.



| BASE SQUARE | ART. | TOP | CHROMED | PAINTED |
|--|-------------|--|---------|---------|
|  CM. 43 x 43 | 0676 | STRUCTURE ONLY | | |
| | 0686 | Mdf MD Ø CM. 80  | | |
| | 0687 | Mdf MD CM. 80 x 80  | | |
| | | | | |

| SHIPMENT DETAILS | TECHNICAL SPECIFICATIONS | RESISTANCE TEST |
|---|--------------------------|---|
| Art. 0676 1 pcs. = 1 box - kg 27.5 / m ² 0.305 Art. 0686 1 pcs. = 2 boxes - kg 38 / m ² 0.370  Art. 0687 1 pcs. = 2 boxes - kg 40.5 / m ² 0.370  | | UNI 9115/87 1:5 5° UNI 9429/89 1:5 5° UNI 9427/89 1:5 4° EN 12720/97 B EN 12721/97 B EN 12722/97 B |

Steel frame base



Top embossed lacquered Mdf



Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.

arper

Arper s.p.a.

via Lombardia 16
31050 Monastier (Treviso) Italia
T +39 0422 7918
F +39 0422 791800
info@arperitalia.it
www.arper.it

Commerciale Italia

T +39 0422 791905-791917
F +39 0422 791900
commercialeitalia@arperitalia.it

Export Office

T +39 0422 791902-4-6-7-8-9
F +39 0422 791900
commercialeestero@arperitalia.it

Arper Spa si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso. Per maggiori informazioni visitate il sito www.arper.it

Arper Spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. For further information, please visit www.arper.it