

m o o o i<sup>®</sup>



## Raimond Dome 79

---

Raimond Dome brings the poetry of a starry night to our homes, having a powerful lamp right at the centre of its dome-shaped network of twinkling LED lights. This makes it the perfect reading or dining lamp.

---

<b>Designer</b>	Raimond Puts
<b>Year of design</b>	2012
<b>Material</b>	Stainless steel and PMMA
<b>Additional</b>	high output central spot

---

# m o o o i<sup>®</sup>

---

## detailing



The intricate spheres of Raimond transport the electrical current. The LED terminals then join these paths to create an atmospheric ambiance. The transparent lenses are specially detailed to spread warm white light in every direction.

Wideangle led spot

---

## colour



Stainless steel

---

## packaging

H 91CM | 35,8"

W 91CM | 35.8"

D 60CM | 23.6"

Colli 1/1

Product weight:

7KG | 15.4lb

With packaging:

9KG | 19.8lb

---

## technical

**LED:**

power consumption 18W

**colour temperature (degrees Kelvin, K)**

2879K (warm white, comparable to incandescent)

**colour rendering index**

81.8

**luminous flux (Lumen, lm)**

620lm ( 60W incandescent)

**compatible Dimmers (CE):**

<b>manufacturer</b>	<b>type</b>
BERKER	286710
BUSCH JAEGER	6513U-102
ELARI	ATD 315
ELARI	ATD 600R
EPV	PAB 315
INSTA	51190
INSTA	51040
JUNG	225TDE
LUTRON	LPRPM-4A
LUTRON	GRAFIK INTEGRAL XGI
OPUS	852395
PEHA	433HAB
SCHNEIDER	ATD 315
SCHNEIDER	600R
SIEMENS	5 TC8 284


Or similar specifications. Lowest dimming position will be approx. 20% -25% depending on dimmer/ lamp combinations.

*Please note when using other dimmers (other types and/or manufacturers) than recommended the dimming curve may not be as fluent, in certain positions flickering or other inconsistencies could occur.*

# m o o o i<sup>®</sup>

## dimensions

79cm | 31.1"



40cm | 15.7"



30cm - 400cm  
11.8" - 157.5"

